


A	1	2	3	4		
				版本REV	繪制日期	
B						
C						
D	<p>NOTE:</p> <p>1.THICKNESS: 0.12mm</p> <p>2.MATERIAL: PHOSPHOR BRONZE</p> <p>3.FINISH: TIN-PLATE/GOLD-PIATED</p> <p>4.使用量具為電子卡尺</p>					
E	一般公差:GENERAL TOLERANCE		更改說明:REV.DESCRPTION		更改說明:REV.DESCRPTION	
	尺寸範圍DIM		△1		△4	
	.0	±0.20	△2		△5	
	.00	±0.15	△3		△6	
	.000	±0.10	核准APPD		模型:	料號: ITEM NO
	文件編號		審核CHD		MODEL	A1002-T-00
	SC-A-2001T		繪圖DWN	LIAO		
比例: SCALE					規格: SPEC JST1.0-T	

版本REV	繪制日期
A	2009-3-27








■ Specifications:

- Voltage rating: 50V AC / DC
- Current rating: 1A AC / DC
- Withstanding voltage: 500V AC/minute
- Temperature range: -25°C~+85°C
- Insulation resistance: 100M \geq Ω
- Contact resistance: 20m \leq Ω
- After environmental testing: 40m \leq Ω
- Material PT-PBT ; NO-PA66 94V-0
PGNO-P-640PG3G-NC(15%GF)
- Plug the Pin & special No.: E-Have ears
- Color Blank-natural color
- HF- Halogen Free ; Blank- Halogen

Poles	Dimensions(mm)			Poles	Dimensions(mm)		
	A	B	C		A	B	C
02	1.00	5.00	2.40	13	12.00	16.00	13.40
03	2.00	6.00	3.40	14	13.00	17.00	14.40
04	3.00	7.00	4.40	15	14.00	18.00	15.40
05	4.00	8.00	5.40	16	15.00	19.00	16.40
06	5.00	9.00	6.40	17	16.00	20.00	17.40
07	6.00	10.00	7.40	18	17.00	21.00	18.40
08	7.00	11.00	8.40	19	18.00	22.00	19.40
09	8.00	12.00	9.40	20	19.00	23.00	20.40
10	9.00	13.00	10.40	22	21.00	25.00	22.40
11	10.00	14.00	11.40	24	23.00	27.00	24.40
12	11.00	15.00	12.40				

一般公差: GENERAL TOLERANCE		更改說明: REV.DESCRPTION		更改說明: REV.DESCRPTION	
尺寸範圍DIM		▲		▲	
10.01以上之尺寸	±0.30	▲		▲	
10.00以內之尺寸	±0.20	▲		▲	
孔位	±0.10	核准APPD		模型:	料號: ITEM NO
文件編號		審核CHD		MODEL	
SC-EW-11		繪圖DWN	黃婷	2009-3-27	A1002-HD0-NP
比例: SCALE				規格: SPEC	
				1.00 mm Crimp Style Commctctors	

版本REV	繪制日期
A	2009-3-27



NOTE:

- Material LP-LCP 94V-0
- Welding Board Angle: R-90°
- Welding Way: S-SMT
- Plug the Pin & Special No.: E-Ear clip
- Planting Category:
V**: All Gold-Plated *01-Gold Flash
SW-Fog Tin plating
- Color Blank-natural color
- HF-Halogen Free; Blank- Halogen

Poles	Dimensions(mm)			Poles	Dimensions(mm)		
	A	B	C		A	B	C
02	1.00	4.00	2.50	10	9.00	12.00	10.50
03	2.00	5.00	3.50	11	10.00	13.00	11.50
04	3.00	6.00	4.50	12	11.00	14.00	12.50
05	4.00	7.00	5.50	13	12.00	15.00	13.50
06	5.00	8.00	6.50	14	13.00	16.00	14.50
07	6.00	9.00	7.50	15	14.00	17.00	15.50
08	7.00	10.00	8.50	16	15.00	18.00	16.50
09	8.00	11.00	9.50	20	19.00	22.00	20.50

一般公差: GENERAL TOLERANCE		更改說明: REV. DESCRIPTION		更改說明: REV. DESCRIPTION	
尺寸範圍 DIM		△		△	
10.01 以上之尺寸	±0.20	△		△	
10.00 以內之尺寸	±0.15	△		△	
孔位	±0.02	核准 APPD		模型: MODEL	料號: ITEM NO
文件編號		審核 CHD		A1002W-R-00-NP	
SC-EW-11		繪圖 DWN	黃婷 2009-3-27		
比例: SCALE				規格: SPEC	
				1.00 mm Crimp Style Connectors	